



CONCRETE RINGSAW 16"

OXCC-8800V	2150
VOLTAGE	220V
CUTTING DEPTH	300MM
INPUT POWER	8HP
NO LOAD SPEED	3000R/MIN



2150-017
SPINDLE (B)




2150-019
CIRCLIP
(BLACK)



2150-020
OIL SEAL



2150-021
SPACER BUSH



2150-022
TOP ROLLER



2150-023
HEX GASKET METAL



2150-024
HEX NUT



2150-025
RUBBER WASHER
(WHITE)



2150-026
THREAD BOLT



2150-028
SPRING(A)



2150-029
THREAD NUT
(WHITE)



2150-032
UPPER PRESS WHEEL
(RIGHT)



2150-033
LONG SCREW
(BLACK)



2150-034
UPPER SPLASH GUARD
(BLACK)



2150-035
LOCK NUT
(BLACK)



2150-036
SPRING(B)



2150-037
SCREW
(WHITE)



2150-038
SCREW



2150-039
UPPER SPLASH GUARD
GUIDE WHEEL (BLACK)



2150-040
LOWER SPLASH
GUARD (BLACK)



© **OXI POWER**®
A Great Name in Quality products

SPARES FOR OXCC-8800V



2150-043
CYLINDER PIN



2150-045
LOWER TRAINING
WHEEL



2150-049
WATER FENDER
(PLATE)



2150-057
WHITE WASHER B



2150-058
ROUND WASHER



2150-059
WHITE WASHER A



2150-060
ROUND PLUG



2150-062
LOWER GUIDE
SPINDLE



2150-063
BOTTOM TUMBLER




2150-064
PROTECTIVE COVER
(RIGHT)



2150-067
ADJUSTABLE HAND
WHEEL (BLACK)



2150-109
ARMATURE




2150-113
STATOR



2150-115
MOTOR HOUSING
(RED)



2150-118
BLACK HANDLE
(LEFT)



2150-119
PCB
(CONTROLLER)



2150-120
SWITCH SLEEVE
(RED)



2150-121
SWITCH BASE
(RED)



2150-122
BLACK HANDLE
(RIGHT)



4100
RINGSAW BLADE



2150-006
PROTECTIVE COVER
(LEFT)



2150-012
PAN HEAD SCREW
(BLACK)



2150-013
ROTATING PIN
(WHITE)




2150-014
BUSHING



2150-015
UPPER PRESS WHEEL
(LEFT)

*Including GST



RINAGSAW DIAGRAM