



OXI POWER[®]
A Great Name in Quality products

HIGH QUALITY POWER TOOLS & ACCESSORIES



CATALOGUE 2026

ANGLE GRINDER 4" (100MM)



HT-1280W 2053N
 VOLTAGE 220V
 INPUT POWER 1.4HP
 SPINDLE SIZE M 10
 NO LOAD SPEED 11000R/MIN

ANGLE GRINDER 5" (125MM)



HT-1550W 2054N
 VOLTAGE 220V
 INPUT POWER 1.9HP
 SPINDLE SIZE M 10
 NO LOAD SPEED 11000R/MIN

ANGLE GRINDER 5" (125MM)



HT-125 2042
 VOLTAGE 220V
 INPUT POWER 1200W
 SPINDLE SIZE M 10
 NO LOAD SPEED 11000R/MIN

ANGLE GRINDER 7" (180MM)



HT-3400V 2055
 VOLTAGE 220V
 INPUT POWER 3.8HP
 SPINDLE SIZE M 14
 NO LOAD SPEED 8400R/MIN

MARBLE CUTTER 4"



HTC 110HD 2039
 VOLTAGE 220V
 INPUT POWER 1200W
 BLADE SIZE 110 MM
 NO LOAD SPEED 13000R/MIN

MARBLE CUTTER 4"



HM4SB 2044
 VOLTAGE 220V
 INPUT POWER 1400W
 BLADE SIZE 110 MM
 NO LOAD SPEED 12000R/MIN

MARBLE CUTTER 4"



HMC 410T 2102
 VOLTAGE 220V
 INPUT POWER 1850W
 BLADE SIZE 110MM
 NO LOAD SPEED 13000R/MIN

MARBLE CUTTER 5"



HMC 125N 2048
 VOLTAGE 220V
 INPUT POWER 1800W
 BLADE SIZE 125 MM
 NO LOAD SPEED 12000 R/MIN

CORDLESS IMPACT DRILL 10MM



HCD-12V 2058
 POWER DC 12V
 CHUCK SIZE 10MM
 TORQUE 0.8-20NM
 NO LOAD SPEED 0-1550R/MIN

CORDLESS BRUSHLESS IMPACT DRILL



HBD-10M 2109
 POWER DC 16.8 V
 CHUCK SIZE 10 MM
 TORQUE 40 NM
 NO LOAD SPEED 0-1400R/MIN

CORDLESS BRUSHLESS IMPACT DRILL



HBD-13M 2108
 POWER DC 21V
 CHUCK SIZE 13MM (METAL)
 TORQUE 0.5-45NM
 NO LOAD SPEED 0-1450R/MIN

CORDLESS BRUSHLESS WRENCH



HTW-21V 2059
 POWER DC 21V
 CHUCK SIZE 12.7MM
 TORQUE 350/410NM
 NO LOAD SPEED 1700/2300R/MIN

ELECTRICAL CHAINSAW



HCS 2800W 2100
 VOLTAGE 220V
 INPUT POWER 3.0HP
 NO LOAD SPEED 6600R/MIN
 BAR SIZE 22"

GASOLINE CHAINSAW



HCS 7800 2060
 ENGINE 2 STROKE
 DISPLACEMENT 58CC
 FUEL TANK 0.55L
 BAR SIZE 18"

GASOLINE CHAINSAW



HP-58CC 2131-2132
 ENGINE 2 STROKE
 DISPLACEMENT 58CC
 FUEL TANK 0.55L
 BAR SIZE 18"/22"

CHAIN SHARPNER



HCS-120W 2091
 VOLTAGE 220V
 INPUT POWER 1.2HP
 WHEEL DIA 100MM
 NO LOAD SPEED 4800R/MIN

SCREW DRIVER 10MM



HSD 500W 2098
VOLTAGE 220V
INPUT POWER 0.6 HP
DRILL DIA M 10
NO LOAD SPEED 0-750R/MIN

ELECTRICAL DRILL 6.5MM



HTD-6.5A 2024
VOLTAGE 220V
INPUT POWER 350W
DRILL DIA 6.5MM
NO LOAD SPEED 0-4500R/MIN

HAMMER DRILL 26MM



HT2-26DRE 2068
VOLTAGE 220V
INPUT POWER 1.2-1.5 HP
DRILL DIA 26MM
NO LOAD SPEED 0-1300R/MIN

HAMMER DRILL 28MM



HT2-28DRE 2130
VOLTAGE 220V
INPUT POWER 1.8HP
DRILL DIA 28MM
NO LOAD SPEED 0-1300R/MIN

HOT AIR GUN



HT-2000W 2057
VOLTAGE 220V
INPUT POWER 2000W
FREQUENCY 50HZ
SPEED CONTROL 1-2

AIR BLOWER



HAB-800W 2049
VOLTAGE 220V
INPUT POWER 1.07HP
FREQUENCY 50HZ
NO LOAD SPEED 16000R/MIN

VACUUM BLOWER



HVB-1650 2025
VOLTAGE 220V
INPUT POWER 1.5 HP
WIND VOLUME 4.5
NO LOAD SPEED 18000R/MIN

PRESSURE WASHER



HPW-2200 2064
VOLTAGE 220V
INPUT POWER 1.5-2.0 HP
PRESSURE 90-130BAR
FLOW CAPACITY 30-190L/H

CONCRETE VIBRATOR



HCV-1700W 2099
VOLTAGE 220V
INPUT POWER 2.4 HP
ROD DIA 35MM
NO LOAD SPEED 4800R/MIN

PAINT MIXER 160MM



HPM-1100W 2101
VOLTAGE 220V
INPUT POWER 1.3 HP
ROD DIA 160MM
NO LOAD SPEED 900R/MIN

CONCRETE MIXER



HPM-2070W 2070
VOLTAGE 220V
INPUT POWER 2HP
MIXER ROD THREAD M12/M22
NO LOAD SPEED 1250R/MIN

HAND CORE DRILL



HCD-138M 2135
VOLTAGE 220V
INPUT POWER 2.4HP
DRILL DIA 120MM
NO LOAD SPEED 0-2000R/MIN

CORDLESS TILE VIBRATOR



HTV-130M 2105
VOLTAGE 12V
VIBRATION RATE 2800-5500T/MIN
TILE SIZE 30-130CM
DIAMETER 135MM

CROP CUTTER (BRUSH)



HBC-52 2033
ENGINE TYPE 2 STROKE
POWER 51.7CC
FUEL TANK 1200ML
PIPE DIAMETER 28MM

EARTH AUGER 52CC



HEA-52 2010
ENGINE TYPE 2 STROKE
POWER 3.5 HP
FUEL TANK 1200ML
MIXING RATIO 1.25

EARTH AUGER 75CC



HEA-75 2011
ENGINE TYPE 2 STROKE
POWER 4.6 HP
FUEL TANK 1200ML
MIXING RATIO 1.25

CONSTRUCTION TOOLS

CONCRETE CUTTER 16"



HCC-4800W	2051
VOLTAGE	220V
INPUT POWER	4.5HP
BLADE DIA	420MM
NO LOAD SPEED	4800R/MIN

CONCRETE CUTTER 14"



HCC-4200W	2052
VOLTAGE	220V
INPUT POWER	4 HP
BLADE DIA	355MM
NO LOAD SPEED	4200R/MIN

DEMOLITION HAMMER 7.5KG



HDH-1560W	2106
VOLTAGE	220V
INPUT POWER	2.2HP
CHISEL SIZE	17MM (HEX)
IMPACT	20-25J

DEMOLITION HAMMER 8KG (SDS MAX)



HDH-1700W	2104
VOLTAGE	220V
INPUT POWER	1700W
CHISEL SIZE	18MM (MAX)
NO LOAD SPEED	3900R/MIN

DEMOLITION HAMMER PH85



HDH-2200W	2107
VOLTAGE	220V
INPUT POWER	3HP
CHISEL SIZE	30MM
IMPACT	65-75J

DEMOLITION HAMMER 11E



HTC-11E	2026
VOLTAGE	220V
INPUT POWER	1500 W
CHISEL SIZE	18MM (MAX)
NO LOAD SPEED	900-1890R/MIN

CONCRETE CUTTER 24" (BRUSHLESS)



HCC 6000V	2182
VOLTAGE	220V
INPUT POWER	6 HP
BLADE DIA	620MM
NO LOAD SPEED	2300R/MIN

CUT OFF MACHINE 14"



HCO-3200W	2061
VOLTAGE	220V
INPUT POWER	3.5 HP
BLADE DIA	355MM
NO LOAD SPEED	3900R/MIN

MITRE SAW 12"



HMS-3020V	2071
VOLTAGE	220V
INPUT POWER	2.95HP
BLADE SIZE	305MM
NO LOAD SPEED	4000R/MIN

MITRE SAW 10"



HMS-1820W	2063
VOLTAGE	220V
INPUT POWER	2HP
BLADE SIZE	255MM
NO LOAD SPEED	6000R/MIN

CORE DRILL MACHINE 210



HCD-3800W	2133
VOLTAGE	220V
INPUT POWER	4HP
DRILL DIA	210MM (M-22)
NO LOAD SPEED	800 R/MIN

CORE DRILL MACHINE 225



HCC-4800W	2181
VOLTAGE	220V
SPINDLE SIZE	1-1/4 UNC
DRILL DIA	225MM
NO LOAD SPEED	850 R/MIN

SUPER THIN TURBO



ITEM CODE SIZE
5014 105MM

RIM BLADE



ITEM CODE SIZE
5013 114MM

SILVER BRAZED DIAMOND BLADE




ITEM CODE

SIZE

- | | |
|------|-------------------------------------|
| 1230 | 350mm 14" (50mm Bore) Granite |
| 1345 | 350mm 14" (50mm Bore) Concrete King |
| 1355 | 400mm 16" (50mm Bore) Concrete King |
| 1362 | 450mm 18" (50mm Bore) Concrete |
| 1363 | 500mm 18" (50mm Bore) Concrete |
| 1364 | 610mm 24" (50mm Bore) Concrete |
| 1354 | 400mm 16" (25.4mm Bore) Concrete |
| 1365 | 610mm 24" (25.4 Bore) Concrete |



**1227
GRANITE 4"**




**1315
NANO/GRANITE 4"**



**5001
CERAMIC/TILES 4"**



**5004
NANO/GRANITE 4.5"**




**5006
GRANITE 4"**




**5011
GLASS/CERAMIC 4"**



**5012
METAL 4"**



**5007
ZERO CHIPPING 4"**



**5008
ZERO CHIPPING 4"**



**5009
CUP WHEEL 4"**


GRANITE CORE BIT(M-10 THREAD)



ITEM CODE	SIZE
5211	6.5mm
5212	8mm
5213	10mm
5214	12mm
5215	16mm
5216	20mm
5217	25mm

SDS PLUS DRILL BIT (DOUBLE TIP)

SIZES : 5x110mm - 20x450mm



ITEM CODE	SIZE
5218	32mm
5219	38mm
5223	40mm
5220	42mm
5221	45mm
5222	50mm
5230	SINK

ITEM CODE : 5301- 5337



TCT BLADES (PREMIUM)



ITEM CODE	SIZE	ITEM CODE	SIZE
1065	4"x30T	1074	10"x40T
1066	4"x40T	1075	10"x60T
1067	5"x30T	1076	12"x40T
1068	5"x40T	1077	12"x60T
1069	6"x40T	1078	14"x60T
1070	7"x40T	1091	10"x100T (AL.)
1071	7"x60T	1092	12"x100T(AL.)
1072	8"x40T	1095	14"x120T(AL.)
1073	8"x60T	1020	4x12
		1021	5x12

SIGNATURE LAMINATE CUTTER (SUPER THIN KERF)



ITEM CODE	SIZE	ITEM CODE	SIZE	DOUBLE TIP
1101	4"x30T	1108	8"x40T	ITEM CODE SIZE
1102	4"x40T	1109	8"x60T	1097 4x40
1103	5"x30T	1110	10"x40T	1099 5x40
1104	5"x40T	1111	10"x60T	
1105	6"x40T	1112	12"x40T	
1106	7"x40T	1113	12"x60T	
1107	7"x60T	1114	14"x60T	

WOOD HINGES BIT



ITEM CODE	SIZE	ITEM CODE	SIZE
5201	15mm	5208	28mm
5202	16mm	5209	30mm
5203	18mm	5210	32mm
5204	19mm	5241	35mm
5205	20mm	5242	38mm
5206	22mm	5243	40mm
5207	25mm		

AGRICULTURAL PRUNER

SAW CHAIN

ROUTER BIT / TRIMMER BIT



1118
[380MM]



1119
[430MM]



SIZE : 16" 18" 20" 22" 24"



MOULDING BITS (ROUND)

ITEM CODE	SIZE
1901	75x15mm
1902	75x20mm
1903	75x25mm
1904	75x30mm
1905	75x35mm



MOULDING BITS (FRENCH)

ITEM CODE	SIZE
1906	75x15mm
1907	75x20mm
1908	75x25mm
1909	75x30mm
1910	75x35mm



SIGNATURE SCREW DRIVER BIT -S2 (WITH CAP)



ITEM CODE	SIZE
1131	65MM (PH2)



SCREW DRIVER BIT-TS2

ITEM CODE	SIZE
1121	25mm(PH2)
1122	50mm(PH2)
1123	65mm(PH2)
1124	110mm(PH2)



CARVING BIT GLASS DRILL BIT



KEYLESS CHUCK
ITEM CODE : 1417



CARBON BRUSH



ITEM CODE	MODEL NO
3296	HT-1500
3296	OXG-110
3297	HT-3300
3298	HTC-11E
3299	DW-801
3300	CM4SA #43
3301	LG-355 #153
3302	MT-410
3303	6-100

CONCRETE RINGSAW




CBCC - 16	2170
CUTTING DEPTH	280MM
INPUT POWER	6800W
NO-LOAD SPEED	2200R/MIN
RATED VOLTAGE	220V

GASOLINE CHAINSAW



CBR 6800	2072
ENGINE TYPE	2 STROKE
POWER	58CC
GUIDE BAR SIZE	18"
FUEL CAPACITY	0.55L

RINGSAW BLADE



ITEM CODE	SIZE
1210	410MM
1212	394MM
1213	410MM [GEAR TYPE]
1289	385MM [GEAR TYPE]

RINGSAW BLADE



ITEM CODE	SIZE
3900	394MM
4100	410MM
4099	410MM [GEAR TYPE]



BROACH

BRUSH CUTTER 4 STROKE



VX-35	2046
ENGINE TYPE	4 STROKE
POWER	1KW
PIPE DIA	26/28MM
FUEL CAPACITY	900ML

ANGLE GRINDER 5"



DAG 1500W	8103
VOLTAGE	220V
INPUT POWER	1.6HP
DISC DIA	125MM (M10)
NO LOAD SPEED	11000R/MIN

ANGLE GRINDER 7"



DAG 2200W	8106
VOLTAGE	220V
INPUT POWER	3.8HP
DISC DIA	180MM (M14)
NO LOAD SPEED	8500R/MIN

HAMMER DRILL 26MM



BC-1300W	2081
VOLTAGE	220V
INPUT POWER	1.5HP
DRILL DIA	26MM
NO LOAD SPEED	0-1300R/MIN



© **OXI POWER**®
A Great Name in Quality products

POWER OF OXYGEN

ANGLE GRINDER 4"



OXG 1100W 2141
DISC DIAMETER 100MM
INPUT POWER 1.15HP
RATED VOLTAGE 220V
NO LOAD SPEED 11000R/MIN

ANGLE GRINDER 5"



OXG 1220W 2142
DISC DIAMETER 125MM
INPUT POWER 1.2-1.5HP
RATED VOLTAGE 220V
NO LOAD SPEED 11000R/MIN

ANGLE GRINDER 5"



OXG-1530W 2146
DISC DIAMETER 125MM
INPUT POWER 1.5HP
RATED VOLTAGE 220V
NO LOAD SPEED 11000R/MIN

ANGLE GRINDER 5"



OXG-1600W 2088
VOLTAGE 220V
INPUT POWER 1600W
BLADE DIA 110MM
NO LOAD SPEED 11000R/MIN

12V SCREW DRIVER 10MM



OXI-12V 2018
INPUT POWER 280W
NO LOAD SPEED 0-1550R/MIN
CHUCK SIZE 1-10MM
TORQUE 0.8-20NM

CORDLESS SCREW DRIVER



OXCD-10 2171
POWER 20V
CHUCK SIZE 10MM
TORQUE 18N.M/35N.M
NO LOAD SPEED 0-1400RPM

CORDLESS IMPACT DRILL



OXID-13 2172
POWER 20V
CHUCK TYPE METAL
CHUCK SIZE 13MM
TORQUE 45N.M

CORDLESS IMPACT WRENCH



OCIW-550 2173
POWER 20V
SHAFT SIZE 1/2 INCH
TORQUE 550N.M
NO LOAD SPEED 0-2400RPM

REVERSIBLE DRILL 10MM



OXI-10RE 2007
VOLTAGE 220V
INPUT POWER 450W
DRILL DIA 10MM
NO LOAD SPEED 0-2600R/MIN

IMPACT DRILL 13 MM



OXD-13A 2003
VOLTAGE 220V
INPUT POWER 550 W
DRILL DIA 13MM
NO LOAD SPEED 0-2800R/MIN

IMPACT DRILL 13MM (13RE)



OXD-13RE 2075
VOLTAGE 220V
INPUT POWER 760W
DRILL DIA 13MM
NO LOAD SPEED 0-2800 R/MIN

IMPACT DRILL 13MM (13RE WITH KIT)



OHD-13K 2144
VOLTAGE 220V
INPUT POWER 710W
DRILL DIA 13MM
NO LOAD SPEED 0-2800 R/MIN

MARBLE CUTTER 4"



OXM-1500W 2145
VOLTAGE 220V
INPUT POWER 1500W
BLADE DIA 110MM
NO LOAD SPEED 11000R/MIN

MARBLE CUTTER 5"



OXM-2800V 2151
VOLTAGE 220V
INPUT POWER 2.2HP
BLADE DIA 125MM
NO LOAD SPEED 13000R/MIN

CIRCULAR SAW 7"



OCS-2200V 2028
VOLTAGE 220V
RATED POWER 2HP
BLADE DIA 180MM
NO LOAD SPEED 4800R/MIN

DRY WALL SANDER



OXS-1300V 2147
VOLTAGE 220V
SANDPAPER SIZE 180MM
INPUT POWER 1.4HP
NO LOAD SPEED 0-3500R/MIN



© **OXI POWER**®
A Great Name in Quality products

POWER OF OXYGEN

**PAINT MIXER
(VARIABLE SPEED)**



OPM-160 2034

ROD DIA 120MM
INPUT POWER 1050W
RATED VOLTAGE 220V
NO LOAD SPEED 0-550R

ANGLE GRINDER 5"



OXI-125HD 2031

SPINDLE M-10 THREAD
DISC DIA 125MM
INPUT POWER 1050W
NO LOAD SPEED 11000R/MIN

WALL SCRUBBER



OXS-2880V 2076

RATED VOLTAGE 220 V
POWER 2680W
PLANING DEPTH 1-4MM
PLANING WIDTH 150MM

**PAINT MIXER
(SINGLE SPEED)**



OXP-1020V 2027

ROD DIA 120MM
INPUT POWER 900W
RATED VOLTAGE 220V
NO LOAD SPEED 800R

TILE VIBRATOR



OXTV-20 2174

VOLTAGE 20V
SIZE 120CM
SPEC. 2.0AH

WOOD TRIMMER



OWT-520W 2020

VOLTAGE 220V
INPUT POWER 520W
COLLET 6.35MM
NO LOAD SPEED 30000R/MIN

WALL CHASER



OWC-133 2021

VOLTAGE 220V
INPUT POWER 4HP
BLADE DIA 133MM
NO LOAD SPEED 6300R/MIN

**CROP CUTTER
(BRUSH)**



OXI-52 2016

ENGINE TYPE 2 STROKE
POWER 52CC
PIPE DIA 28MM
FUEL CAPACITY 1200ML

PRESSURE WASHER



OPW-120HD 2043

WORKING PRESSURE 120 BAR
MAX BAR 100-160
FLOW 390 L/H
MOTOR TYPE INDUCTION

**DEMOLITION HAMMER
5KG**



OP-0810T 2009

VOLTAGE 220V
CHISEL DIA 17MM
INPUT POWER 1200W
NO LOAD SPEED 2900/MIN

**DEMOLITION HAMMER
7KG (SDS MAX)**



OXI-35HD 2014

VOLTAGE 220V
MAX BIT DIA 18MM
INPUT POWER 1550W
NO LOAD SPEED 3600/MIN

DEMOLITION HAMMER



OPH-75 2030

VOLTAGE 220V
CHISEL DIA 30MM
INPUT POWER 1800W
NO LOAD SPEED 1400/MIN

GASOLINE CHAINSAW



OXI-58 2121-2122

ENGINE TYPE 2 STROKE
POWER 58CC
GUIDE BAR SIZE 18"-22"
FUEL CAPACITY 0.55L

IMPACT DRILL 13MM



OID-13A 2004

VOLTAGE 220V
INPUT POWER 800W
DRILL DIA 13MM
NO LOAD SPEED 1800R/MIN

HAMMER DRILL 22MM



OP-22HD 2012

VOLTAGE 220V
INPUT POWER 0.8-1HP
DRILL DIA 22MM
NO LOAD SPEED 0-1000R/MIN

HAMMER DRILL 26MM



OP-26HD 2013

VOLTAGE 220V
INPUT POWER 1.2-1.5HP
DRILL DIA 26MM
NO LOAD SPEED 0-1300R/MIN



OXI POWER[®]
A Great Name in Quality products

POWER OF OXYGEN

CORE DRILLING MACHINE



OP-300 2029
VOLTAGE 220V
INPUT POWER 3500W
DRILL DIA 300MM(12")
NO LOAD SPEED 610R/MIN

CORE DRILLING MACHINE



OXCD-255M 2125
DRILL CAPACITY 255/300MM
MAX POWER 5000W
SPINDLE SIZE 1-1/4 UNC
NO LOAD SPEED 600R/MIN

CONCRETE SANDER



OXCS-3020W 2148
VOLTAGE 220V
SANDPAPER SIZE 380MM
INPUT POWER 2.3HP
NO LOAD SPEED 80-200R/MIN

CONCRETE GRINDER



OXCG-4700V 2078
VOLTAGE 220V
INPUT POWER 5.2HP
CUP SIZE 100MM
RPM 5000R/MIN

CONCRETE CHAINSAW 18"



OXCC-4900W 2149
VOLTAGE 220V
GUIDE BAR SIZE 18"
INPUT POWER 5.3HP
NO LOAD SPEED 6300R/MIN

**CONCRETE RINGSAW 16"
(BRUSHLESS)**



OXCC-9900V 2120
VOLTAGE 220 V
CUTTING DEPTH 300 MM
INPUT POWER 10 HP
POWER CABLE 7 MTR

CARBON BRUSH



ITEM CODE	MODEL NO
3281	CM4SA [#43]
3282	PDA-100D [#21]
3283	DU-10 [#41]
3284	DW-81
3285	6-100
3288	LG-355 [#153]
3290	HM-0810T
3291	2-20SE
3292	2-26DRE

AB WASHER



ITEM CODE	MODEL NO	DESCRIPTION
4492	CM4SA	WITH L BOLT
4493	MT-410	WITH L BOLT
4494	6-100	AB WASHER SET
4495	DW-801	AB WASHER SET
4496	20-180	AB WASHER SET
4497	LG-355	AB WASHER SET
4498	20-180	ONLY UP



GRANITE CORE BIT(M-10 THREAD)



ITEM CODE	SIZE	ITEM CODE	SIZE
1841	6mm	1848	25mm
1842	8mm	1850	30mm
1843	10mm	1849	32mm
1844	12mm	1852	40mm
1845	16mm	1853	42mm
1846	19mm	1851	50mm
1847	20mm		

STONE CARVING BIT



(ROUND)

ITEM CODE	SIZE
1424	20mm
1425	25mm
1426	30mm
1427	40mm



(STRAIGHT)

ITEM CODE	SIZE
1411	6mm
1412	10mm
1413	12mm
1414	16mm
1415	20mm

DEEP HOLE SAW BITS (WOOD)



ITEM CODE	SIZE
1642	25mm
1643	32mm
1644	38mm
1645	50mm
1646	54mm
1647	57mm
1648	64mm
1649	75mm

WOOD SPADE BITS



ITEM CODE	SIZE	ITEM CODE	SIZE
1748	6mm	1755	18mm
1749	8mm	1757	20mm
1750	10mm	1758	22mm
1751	12mm	1760	25mm
1753	14mm	1762	32mm
1754	16mm	1763	38mm

6PCS SPADE BIT SET
ITEM CODE : 1879

BI-METAL HOLE SAW BITS



ITEM CODE	SIZE	ITEM CODE	SIZE
1863	16mm	1869	40mm
1864	18mm	1870	45mm
1865	20mm	1871	50mm
1866	25mm	1872	52mm
1867	32mm	1873	64mm
1868	39mm	1874	75mm

STEP DRILL BIT



ITEM CODE	SIZE
1766	4-20MM
1767	4-32MM

WOOD HOLE SAW SET

LOCK INSTALLATION KIT

WOOD HINGES BIT (WITH ADAPTOR)



ITEM CODE	SET
1401	6PCS
1402	11PCS
1403	12PCS
1404	16PCS



ITEM CODE : 1405



ITEM CODE	SIZE
1881	20mm
1882	25mm
1883	32mm
1884	35mm

CONCRETE HOLE SAW BIT

Suitable for 2-26 hammer



ITEM CODE	SIZE
1431	30mm
1468	40mm
1432	50mm
1433	65mm
1434	75mm
1435	80mm
1436	100mm

CONCRETE BIT 2-26 ADAPTOR


ITEM CODE	SIZE
1439	22x350mm
1437	22x300mm
1438	22x110mm

CHISEL(SDS MAX)


ITEM CODE	SIZE
1457	18x400mmx25 mm(F)
1458	18x400mmx50mm(F)
1459	18x400mmx75mm(F)
1449	18x280mm(P)
1456	18x400mm(P)
1460	18x600mm(P)
1461	18x600mm(F)
1462	30x410mm(P)

CHISEL(HEX)



ITEM CODE	SIZE
1452	17x280mm(P)
1453	17x280mm(F)
1454	17x400/380mm(P)
1455	17x400/380mm(F)
1465	17x400x75(F)

CHISEL(PH65A)


ITEM CODE	SIZE
1462	30x410mm(P)
1463	30x410mm(F)
1470	30x600mm(P)
1471	30x600mm(F)

CHISEL(SDS PLUS)


ITEM CODE	SIZE (SDS PLUS)
1450	14x250mm(P)
1451	14x250mm(F)

EARTH AUGER BITS


ITEM CODE	SIZE
2094	75mm
2017	100mm
2082	150mm
2083	200mm
2096	250mm
2097	300mm

VIBRATOR NEEDLE


ITEM CODE	SIZE
1441	1 MTR
1442	1.5 MTR
1443	2 MTR
1444	3 MTR



CARRIER GOLD




BUTTER-CUT SILVER BRAZED (GRANITE)

ITEM CODE

SIZE

- 2208** 12" (Bore 22.23mm) BLACK
- 2210** 14" (Bore 25.4mm) YELLOW
- 2211** 14" (Bore 50mm) PINK
- 2213** 16" (Bore 50mm) PINK
- 2214** 18" (Bore 50mm) PINK
- 2215** 20" (Bore 50mm) PINK
- 2216** 22" (Bore 50mm) PINK
- 2217** 24" (Bore 50mm) PINK
- 2221** 26" (Bore 50mm) PINK
- 2218** 28" (Bore 50mm) PINK
- 2219** 32" (Bore 60/50mm) PINK



BUTTER-CUT SILVER BRAZED (CONCRETE)

ITEM CODE

SIZE

- 2200** 12" (Bore 22.23mm) YELLOW
- 2201** 14" (Bore 50mm) YELLOW
- 2202** 16" (Bore 50mm) YELLOW
- 2203** 18" (Bore 50mm) YELLOW
- 2204** 20" (Bore 50mm) YELLOW
- 2205** 24" (Bore 50mm) YELLOW
- 2206** 28" (Bore 50mm) YELLOW
- 2207** 32" (Bore 50mm) YELLOW
- 2222** 14" (Bore 25.4mm) BLACK
- 2223** 16" (Bore 25.4mm) BLACK
- 2224** 24" (Bore 25.4mm) BLACK



SILVER BRAZED (TUCK POINT)

ITEM CODE

SIZE

- 2212** 14" (Bore 50mm) 6mm Thick
- 2220** 14" (Bore 50mm) 10mm Thick


HOT PRESS (GRANITE)

ITEM CODE

SIZE

- 1285** 114mm Segmented (YELLOW)
- 1370** 114mm Segmented (PINK)

HIGH QUALITY TOOLS



1268
4" SEGMENTED
(GRANITE)




1269
4" RIM
(GRANITE)



1271
4" ZERO CHIPPING RIM
(TILE / CERAMIC/GRANITE)



1356
4" TILE SEGMENT
(TILE/CERAMIC)



1351
4.5" SEGMENTED
(WALL CUTTER)



2271
5" SEGMENTED
(WALL CUTTER)



1226
3" TURBO BLADE



1267
4" FLAT CUP
(DOUBLE SIDE)



1278
3" SEGMENTED
CUP WHEEL



1379
4" SEGMENTED
CUP WHEEL



1295
5" SEGMENTED CUP WHEEL
(DOUBLE ROW)



1296
7" SEGMENTED CUP WHEEL
(DOUBLE ROW)

COBRA® BLACK



5040
3" SEGMENTED
CUP WHEEL



5041
4" SEGMENTED
CUP WHEEL



5042
5" SEGMENTED CUP WHEEL
(DOUBLE ROW)



5043
7" SEGMENTED CUP WHEEL
(DOUBLE ROW)



1222
4" SPECIAL TURBO
(CONCRETE)



1223
5" SPECIAL TURBO
(CONCRETE)




1224
SPECIAL TURBO 4"
(TILE/CERAMIC/GRANITE)



5033
4" SEGMENTED
(GRANITE/STONE)




5034
5" SEGMENTED
(GRANITE/STONE)



5035
6" SEGMENTED
(GRANITE/STONE)



5037
8" SEGMENTED
(GRANITE/STONE)




5038
10" SEGMENTED
(GRANITE/STONE)

COBRA

SILVER BRAZED (CONCRETE)



ITEM CODE	SIZE
1316	12" (Bore 22.23mm)
1317	14" (Bore 25.4mm)
1325	14" (Bore 50mm)
1318	16" (Bore 50mm)
1319	18" (Bore 50mm)
1320	20" (Bore 50mm)
1321	24" (Bore 50mm)
1322	28" (Bore 50mm)
1323	32" (Bore 60/50mm)






SILVER BRAZED (CONCRETE)

ITEM CODE	SIZE
1279	14" (Bore 25.4mm)
1280	16" (Bore 50mm)
1281	18" (Bore 50mm)
1282	20" (Bore 50mm)
1283	24" (Bore 50mm)







DASTON



RAINBOW Genuine



ABRASIVES



CORE BIT

Hi-Tenci®
PROFESSIONAL TOOLS
For Better Work..

DIAMOND CONCRETE CORE BIT 1-1/4 UNC

ITEM CODE	SIZE	ITEM CODE	SIZE
1134	16X470mm	1146	76X470mm
1135	18X470mm	1147	89X470mm
1136	20X470mm	1148	102X470mm
1137	22X470mm	1149	112X470mm
1138	25X470mm	1150	127X470mm
1139	28X470mm	1151	152X470mm
1140	30X470mm	1152	162X470mm
1141	32X470mm	1153	180X470mm
1142	38X470mm	1154	200X470mm
1143	40X470mm	1155	254X470mm
1144	50X470mm	1156	300X470mm
1145	63X470mm	1157	350X470mm



Omypia®

DIAMOND CONCRETE CORE BIT 1-1/4 UNC (BIG THREAD) GOLD

ITEM CODE	SIZE	ITEM CODE	SIZE
1797	18 X 470mm	1810	112 X 470mm
1798	20X 470mm	1811	127 X 470mm
1801	25 X 470mm	1812	152 X 470mm
1802	32 X 470mm	1819	162 X 470mm
1803	38 X 470mm	1813	180 X 470mm
1804	40 X 470mm	1814	200 X 470mm
1805	51 X 470mm	1815	230 X 470mm
1806	63 X 470mm	1816	254 X 470mm
1807	76 X 470mm	1817	300 X 470mm
1808	89 X 470mm	1818	350 X 470mm
1809	102 X 470mm		



DIAMOND CONCRETE CORE BIT M22 SUITABLE FOR DCA

ITEM CODE	SIZE	ITEM CODE	SIZE
1481	25 X 370mm	1487	102 X 370mm
1482	32 X 370mm	1488	127 X 370mm
1496	38 X 370mm	1489	152 X 370mm
1483	40 X 370mm	1490	180 X 370mm
1484	51 X 370mm	1491	200 X 370mm
1495	63 X 370mm	1492	230 X 370mm
1485	76 X 370mm	1493	254 X 370mm
1486	89 X 370mm	1494	300 X 370mm



CORE BIT

DIAMOND CORE BIT



ITEM CODE	SIZE
2409	51 X 470mm
2410	63 X 470mm
2411	76 X 470mm
2412	102 X 470mm
2413	127 X 470mm
2414	152 X 470mm
2415	180 X 470mm
2416	200 X 470mm
2417	254 X 470mm

DIAMOND CORE BIT



ITEM CODE	SIZE
2301	51 X 470mm
2303	76 X 470mm
2304	102 X 470mm
2305	127 X 470mm

DRY CORE BIT (M-22 THREAD)



ITEM CODE	SIZE
1158	40x370mm
1159	51x370mm
1160	63x370mm
1161	76x370mm

DRY CORE BIT (M-22 THREAD)



ITEM CODE	SIZE
1888	40x370mm
1889	51x370mm
1890	63x370mm
1891	76x370mm



TURBO TYPE



SPARE BIT
ALL SIZES AVAILABLE
QTY 100 PCS

ZIGZAG TYPE



SPARE BIT
ALL SIZES AVAILABLE
QTY 100 PCS

DOTTED TYPE



SPARE BIT
ALL SIZES AVAILABLE
QTY 100 PCS

ROOF TYPE



SPARE BIT
ALL SIZES AVAILABLE
QTY 100 PCS

WHY CHOOSE US

PROFESSIONAL TOOLS FOR BETTER WORK



HIGH PERFORMANCE

Our tools are Engineered with premium materials for maximum power, Our tools are built to withstand the most demanding professional environments.



RELIABLE SERVICE

Minimize your time with our responsive service network, We are committed to keeping your operations running at peak efficiency.

WIDE RANGE OF PRODUCTS

From power tools to agricultural machinery, we offer a versatile range. Oxipower provides integrated solutions for every stage of your project.



VALUE FOR MONEY

High-tier engineering shouldn't carry a high-tier price tag. We bridge the gap between elite performance and cost-effective operational solutions.



 **COBRA**[®]

 **CARRIER**[®]

 **OXI POWER**[®]
A Great Name in Quality products

 **Omypia**[®]

 **DASTON**[®]